



19470

PCB Piezotronics Inc. claims proprietary rights in the information disclosed herein. Neither it nor any reproduction thereof will be disclosed to others without written consent of PCB Piezotronics Inc.

APPLICATION			REVISIONS				
NEXT ASS'Y	USED ON	VAR	REV	DESCRIPTION	ECN	DATE	APP'D



MOUNTING BOLT
MODEL 081A68
1/4-28 UNF-2A
X .92(23) LONG
(SUPPLIED) $\triangle 1$

WIRE COLOR REFERENCE

RED:	"X" AXIS
WHITE:	"Z" AXIS
GREEN:	"Y" AXIS
BLACK:	GND

$\triangle 1$ FOR METRIC RING TRIAXIAL ACCELEROMETER (MODEL M604B11) USE MOUNTING BOLT MODEL M081A68, M6 X 1.00-6g X .92(23) LONG.

UNLESS SPECIFIED TOLERANCES		DRAWN	MFG	PCB PIEZOTRONICS™	
DIMENSIONS IN INCHES	DIMENSIONS IN MILLIMETERS (IN PARENTHESIS)	MUS	S.21.02	3425 WALDEN AVE. DEPEW, NY 14043	716) 684-0001 EMAIL: SALES@PCB.COM
DECIMALS XX ±.01 XXX ±.005	DECIMALS XX ±0.3 XXX ±0.13	CHK'D em	5/28/02	ENGR Jxe	
ANGLES ±2 DEGREES	ANGLES ±2 DEGREES	APP'D U.F	5/28/02	SALES 28-7	CODE IDENT. NO. 52681
FILLETS AND RADII .003 - .005	FILLETS AND RADII (0.07 - 0.13)	TITLE OUTLINE DRAWING MODEL 604B11, M RING TRIAXIAL ACCELEROMETER			DWG. NO. 19470
DD011 REV. 8 03/13/98					SCALE: FULL SHEET 1 OF 1